



भारतीय राजमार्ग अभियन्ता अकादमी

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

Indian Academy of Highway Engineers

(Ministry of Road Transport and Highways, Govt. of India)
A-5, Sector-62, Institutional Area, NH-24 Bypass, Noida-201301, UP, India
Tel 0120-2400085-86, 2405006-9, Fax 2400087
Email: iahe.training@gmail.com, Website: iahe.org.in

All communications to this office should be addressed to the Director by designation and not by name

F.2/11/2013-14/IAHE

07th Nov., 2013

Notice Inviting Quotations (NIQ)

To,
As per list identified
through Internet/ local enquiry
& web site of IAHE

Sub: Supply of geysers to Indian Academy of Highway Engineers (IAHE) (earst while NITHE), Noida.

Sir,

Your quotation may be submitted to Director in sealed envelope in the format given below as per the following terms and conditions for supply of 10 (Ten) numbers of geysers to IAHE. In the quotation, the letter number and date of this NIQ may be mentioned.

Format

Sl. No.	Make and capacity of geysers	Quantity in Nos	Rate in Rs per unit (inclusive of all taxes/ freight)	Amount in Rs
Total amount Rs...../- (in words.....Only) I accept all the terms and conditions stated in the NIQ issued vide letter No..... dated				

Signature of Authorised Signatory

Name of the firm with stamp and date

Terms & conditions

1. The supply should be through authorized dealer of the geysers and a copy of valid authorized dealership should be enclosed.

2. The geysers shall be of 25 litres capacity with rust proof poly propylene body with necessary safety measures, temperature adjustment provision, PUF insulation with minimum of seven year guarantee for inner container, four year guarantee for heating element and at least one year guarantee against electrical break down/ mechanical failure and shall be of reputed make/model like Racold Eterno 2 or equivalent.
3. The rate quoted should be inclusive of freight/ all taxes etc., complete and supply should be to the site in the Campus of IAHE (earst while NITHE), Sector-62, Noida, U.P.
4. The geysers should be of approved colour.
5. Supply should be completed within four (04) days after issue of supply order.
6. Payment shall be made through cheque or NEFT/RTGS within two working days of satisfactory supply. Details of Bank A/c (name of account holder, nature of account, account number, bank name/ branch) shall be specified in the quototation.
7. In case any item is found defective on installation, the same should be replaced with new one forthwith. Gaurantee cards should be duly filled in favour of Director, IAHE, Noida, Sector-62 and furnished along with supply.
8. Quotation shall be submitted to Director in sealed envelope superscribing **"Quotation for geysers- IAHE NIQ dated 05.11.2013"** so as to reach by **12.11.2013,03:00 PM**.

Yours faithfully,



(Ravi Prasad)
Director, IAHE